

## Planting Desert Wildflowers

**SOIL:** Desert wildflowers are adapted to slightly alkaline soils with low organic matter, such as those found along sandy washes or rocky hillsides. Our garden soils might be drastically different than what native wildflowers are accustomed to. Growing wildflowers in poor, compacted soils can be extremely challenging. Incorporating organic matter in the form of compost can greatly improve the development of wildflowers in these conditions by loosening the soil, thus enhancing soil aeration and increasing water permeability. Mix 4 to 6 inches of compost into heavily compacted or clay soil to a depth of 6 to 8 inches. Thereafter apply a 1-inch layer of compost to the soil surface annually, since organic matter rapidly decomposes in our arid environment. It is not necessary to till these compost applications into the soil. If your soil is relatively

healthy and well-drained, adding compost may not be necessary. In these conditions, seed sowing may only require scratching the top ¼ inch of soil with a steel rake. Remember that any soil disturbance will expose weed seeds and allow them to germinate.



**TIME TO PLANT:** Optimum soil temperatures needed for seed germination vary depending on species. Spring-blooming annuals such as poppies, lupines, and bluebells should be planted October through December. Summer-blooming annuals such as kallstroemia and devil's claw can be planted in late spring or early summer. Seed planting time also varies for perennials. Penstemons, oenotheras and blackfoot daisy germinate more readily in the fall. Summer growers such as datura, desert senna, and native plumbago germinate in late spring to early summer.

**SOWING:** After the soil is prepared, level the bed with a rake to create an even surface on which to sow the seeds. The planting will look most natural if the seed is broadcast rather than planted in rows. Toss the seed evenly over the prepared beds. Very small seeds can be mixed with sand, and then sown, in order to broadcast them more evenly. Some hard coated seeds, such as lupine, will benefit from being soaked overnight in water, and then sown. Read package instructions for any other seed that may need some treatment prior to

sowing. After sowing, rake the seeds in lightly and cover them with a thin layer of soil, compost or a soil and sand mixture. A light cover of decomposed granite is one of the best mulches available for tiny wildflower seeds. Remember, seed planted too deeply can be a cause of poor germination.

**WATERING:** Water the seeds daily with a fine mist sprayer, keeping the soil evenly moist until they germinate. Once the seedlings emerge, water every other day, keeping a careful watch on the small plants and not allowing them to dry out. As temperatures cool the frequency can be decreased, but how often seedlings need water depends on the temperature, soil, and amount of rainfall. Once the plants are showing 4 to 5 leaves and are well established, a deep soaking once a week or less often will suffice. For maximum seed production, continue watering until the flowers finish blooming.

**THINNING:** Annuals often come up in dense clusters or with a wide variety of grasses and undesirable plants. It is advisable to thin the seedlings as early as possible, cutting with scissors if they are too small or tightly spaced, in order to prevent root damage. Weed regularly, to prevent too much crowding and competition for a better bloom.

**BIRDS:** Birds are attracted to freshly seeded wildflower beds. Bird netting is easy to use in areas that are small. Another method of protection is spreading a thin layer of dried leaves or compost over the wildflower bed. Planting wildflower seeds in a mulch of decomposed granite also works well, concealing the seeds from birds.

**SEED COLLECTION:** If you wish to collect seed from your wildflowers for sowing next year, clip the seed heads when most of the seed is mature. Most seed heads turn brown or dark as they begin to ripen, but watch carefully so that the fruit is not so ripe that it splits and disperses seed. Spread the seeds in a single layer on a tray or paper towels in a warm, dry place until they have dried completely. Once separated from the chaff, seed can be stored in an airtight container in a cool, dry place.

### SOME SUGGESTED WILDFLOWERS FOR THE PHOENIX AREA

#### Spring Bloom

Yellow cups (A)

Desert bluebells (A)

Lacy phacelia (A)

Mexican gold poppy (A)

California poppy (A)

Bladderpod (A)

Emory's rock-daisy (A)

Chia (A)

Thistle (P)

Purple mat (A)

Baby blue eyes (A)

Sand-verbena (A)

Esteve's pincushion (A)

Desert lupine (A)

Arroyo lupine, Succulent lupine (A)

Parry penstemon (P)

Owl's-clover (A)

Paintbrush (P)

Prickly stars (A)

Firewheel (A)

Fragrant evening primrose (P)

Pale evening primrose (A)

Globemallow (P)

Firecracker penstemon (P)

Paperflower

Brittlebush (P)

*Camissonia brevipes*

*Phacelia campanularia*

*Phacelia tanacetifolia*

*Eschscholzia californica* ssp. *mexicana*

*Eschscholzia californica*

*Lesquerella gordonii*

*Perityle emoryi*

*Salvia columbariae*

*Cirsium neomexicanum*

*Nama hispidum*

*Nemophila menziesii*

*Abronia villosa*

*Chaenactis stevioides*

*Lupinus sparsiflorus*

*Lupinus succulentus*

*Penstemon parryi*

*Castilleja exserta*

(*Orthocarpus purpurascens*)

*Castilleja chromosa*

*Eriastrum diffusum*

*Gaillardia pulchella*

*Oenothera caespitosa*

*Oenothera pallida*

*Sphaeralcea ambigua*

*Penstemon eatoni*

*Psilostrophe cooperi*

*Encelia farinosa*

Goodding's-verbena (P)

Bluedicks (P)

**Summer Bloom**

Trailing windmills (P)

Golden dyssodia (P)

Arizona-poppy (A)

Coyote gourd (P)

Buffalo gourd (P)

Sacred datura (P)

Devil's claw (A)

Desert-marigold (P)

Blackfoot-daisy (P)

Mexican hat (P)

Chocolate flower (P)

Southwestern pricklypoppy (P)

Desert blue eyes (P)

Desert senna (P)

(A) Annual

(P) Perennial

*Glandularia gooddingii*

(*Verbena gooddingii*)

*Dichelostemma pulchellum*

*Allonia incarnata*

*Thymophylla pentachaeta*

(*Dyssodia pentachaeta*)

*Kallstroemia grandiflora*

*Cucurbita digitata*

*Cucurbita foetidissima*

*Datura wrightii*

*Proboscidea parviflora*

*Baileya multiradiata*

*Melampodium leucanthum*

*Ratibida columnifera*

*Berlandiera lyrata*

*Argemone pleiacantha*


*Evolvulus arizonicus*

*Senna covesii*

**Need Help?**

For more information about particular desert plants or problems, call the Desert Botanical Garden's Plant Hotline, 480-481-8120, Monday through Friday, from 10:00 – 11:30 a.m. or email your questions to [planthotline@dbg.org](mailto:planthotline@dbg.org)

The Desert Botanical Garden provides a range of services to homeowners including a desert Plant Hotline, a variety of classes about landscaping and gardening in the desert, an onsite library, and an extensive selection of resources in the Garden Shop.



©Desert Botanical Garden – 07/07



Desert Botanical Garden 1201 N. Galvin Parkway, Phoenix, AZ 85008 480-941-1225 [dbg.org](http://dbg.org)